



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

ALTERNATOR



KTC NO.	242-0102
APPLICATION	10SI SERIES
VOLT.	12V.
AMP.	63A.
LESTER	7127



KTC NO.	242-8005
KTC NO. (REMFD)	242-0001
APPLICATION	CS121D DAEWOO
VOLT.	12V.
AMP.	85A
WAI.	1-2919-01DR



KTC NO.	242-1236
APPLICATION	MERCEDES BENZ
VOLT.	24V.
AMP.	140A.
OEM	CA1236IR



KTC NO.	242-12388
APPLICATION	MERCEDES ACTROS TRUCKS
VOLT.	24V.
AMP.	100A.
WAI.	1-2713-00BO




KTC NO.	242-12389
APPLICATION	MERCEDES ACTROS TRUCKS
VOLT.	24V.
AMP.	100A.
WAI.	1-2852-01BO



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

ALTERNATOR




KTC NO.	242-18005
APPLICATION	HYUNDAI H1, STAREX 2.5L
VOLT.	12V.
AMP.	110A.
OEM	37300-42354



KTC NO.	242-23751
APPLICATION	RENAULT, LOGAN, CLIO, KANGOO, LAGUNA, MEGANE SWCENIC, THALIA
VOLT.	12V.
AMP.	98A.
OEM	0124415007



KTC NO.	242-2977
APPLICATION	CHEVROLET AVEO, PONTIAC, SWIFT
VOLT.	12V.
AMP.	85A.
OEM	1-2977-01



KTC NO.	242-7287
APPLICATION	17SI SERIES
VOLT.	12V.
AMP.	120A.
LESTER	7287



KTC NO.	242-7768
APPLICATION	FORD 3G SERIES VAN, EXPLORER, PICKUP
VOLT.	12V.
AMP.	130A.
OEM	7768



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

ALTERNATOR



KTC NO.	242-7294CH
APPLICATION	12SI SERISCH
VOLT.	12V.
AMP.	94A.
WAI	1-1749-11DR-2




KTC NO.	242-8362
APPLICATION	22SI SERIES
VOLT.	12V.
AMP	145A.
WAI	1-2428-00DR-3



KTC NO.	242-LR170-408-24
APPLICATION	NISSAN TD27
VOLT.	24V.
AMP	35A.
HC	LR170-408



KTC NO.	242-8484
APPLICATION	CHEVROLET OPTRA,SUZUKI FORENZA,RENO
VOLT.	12V.
AMP.	105A.
LESTER	8484




KTC NO.	242-12551
APPLICATION	MITSUBISHI FUSO CANTER
VOLT.	24V.
AMP	50A.
OEM	12551



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

ALTERNATOR



KTC. NO.	242-21431
APPLICATION	DAEWOO MATIZ
VOLT.	12V.
AMP.	65A.
OEM	96314258



KTC. NO.	242-11020
APPLICATION	HYUNDAI SONATA, SANTA FE, TIBURON, KIA OPTIMA
VOLT.	12V.
AMP.	110A.



KTC. NO.	242-7973
APPLICATION	SC130 SERIES SUBURBAN, DODGE, MONACO, DAWOO
VOLT.	12V.
AMP.	100-105A.
LESTER	7973
WAI	20-150-31-1



KTC. NO.	242-13334
APPLICATION	NISSAN SENTRA, NZ 1.6L
VOLT.	12V.
AMP.	70A.
OEM	13334



KTC. NO.	242-13289
APPLICATION	HYUNDAI ELANTRA, SONATA MITSUBISHI, GALANT, MIRAGE
VOLT.	12V.
AMP.	90A.
LESTER	13289



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

ALTERNATOR




KTC. NO.	242-32026
APPLICATION	MITSUBISHI FUSO
VOLT.	24V.
AMP.	55A.
OEM	A4TU3586




KTC. NO.	242-6T1395
APPLICATION	CATERPILLAR
VOLT.	24V..
AMP.	35A.
OEM	6T1395



KTC. NO.	242-14684
APPLICATION	CHEVROLET SPRINT,SUZUKI, SAMURAI,SEDEKICK
VOLT.	12V.
AMP.	50A.
LESTER	1-1228-01ND-1



KTC. NO.	242-14725
APPLICATION	ISUZU NPR (SIN BOMBA)
VOLT.	12V.
AMP	70A.



KTC. NO.	242-23917
APPLICATION	NISSAN NAVARA DSL
VOLT.	12V.
AMP	130A.



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

ALTERNATOR



KTC. NO.	242-27060
APPLICATION	TOYOTA HILUX. VIGO GASOLINA HIACE
VOLT.	12V.
AMP.	80A.



KTC. NO.	242-14130
APPLICATION	TOYOTA COROLLA
VOLT.	12V.
AMP.	45A.
OEM	14130



KTC. NO.	242-13794
APPLICATION	TOYOTA PRADO, 4RUNNER, TACOMA
VOLT.	12V.
AMP.	80A.
LESTER	13794



KTC. NO.	242-16012
APPLICATION	HINO J08C
VOLT.	24V.
AMP.	50A.
OEM	27040-2191



KTC. NO.	242-23751
APPLICATION	CS130D SERIES, CHEVROLET ASTRO BLAZER, C.K. SERIES- PICKUP CADILLAC ESCALADE
VOLT.	12V.
AMP.	105A.
LESTER	8206
OEM	1-1995-21DR-1



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

ALTERNATOR



KTC NO.	242-8239
APPLICATION	CS130D SERIES ISUZU RODEO, AMIGO
VOLT.	12V.
AMP.	105A.
LESTER	8239
WAI	1-2171-01DR



KTC NO.	242-7756
APPLICATION	3GFORD SERIESVAN, SERIES PICKUP, TAURUS, MERCURY
VOLT.	12V.
AMP.	130A
LESTER	7756



KTC NO.	242-LR170-418-12
APPLICATION	ISUZU NPR, HINO
VOLT.	12V.
AMP.	70A.
OEM	LR170-418



KTC NO.	242-2358
APPLICATION	ISUZU NPR, TRUCKS
VOLT.	12V.
AMP.	80A.
WAI	1-2358-01HI



KTC NO.	242-LR280-508
APPLICATION	ISUZU NPR
VOLT.	24V.
AMP.	80A.



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

ALTERNATOR



KTC NO.	242-LR170-418-24
APPLICATION	ISUZU NPR,HINO
VOLT.	24V.
AMP.	45A.
OEM	LR170-418



KTC NO.	242-21369
APPLICATION	TOYOTA HIACE
VOLT.	12V.
AMP	120A.



KTC NO.	242-27062
APPLICATION	TOYOTA VIGO
VOLT.	12V.
AMP	130A.
LESTER	27061



KTC NO.	242-13882
APPLICATION	BMW. 3231. 3251, 3281 33525i, 528i, 530i, X5, Z3
VOLT.	12V.
AMP.	120A.
LESTER	13882



KTC NO.	242-LR160-503 242-21025
APPLICATION	ISUZU D-MAX, 4J F1
VOLT.	12V.
AMP	80A.
OEM	LR160-503



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.


ALTERNATOR



KTC NO.	242-12372
APPLICATION	JOHN DEERE, NEW HOLLAND
VOLT.	12V.
AMP.	120A.
WAI	1-2500-31B0



KTC NO.	242-13316
APPLICATION	GEO METRO 1.0L, SUZUKI SWIFT
VOLT.	12V.
AMP.	50A.
WAI	1-1968-01ND



KTC NO.	242-2447 242-0005
APPLICATION	MAZDA MATSURI, PROTEGE
VOLT.	12V.
AMP.	80A.
WAI	1-2447-01-MI



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

STARTER



KTC NO.	243-6726
APPLICATION	CHEVROLET AVEO, LANOS
VOLT.	12V.
AMP.	CW
WAI	9T
OEM	2-3015-DR



KTC NO.	243-M2T61771
APPLICATION	MITSUBISHI FUSO CANTER TRUCK 4DR7
VOLT.	12V.
POWER	2.0KW
TEETH	9T
OEM	M2T61771



KTC NO.	243-M2T67871
APPLICATION	MITSUBISHI FUSO CANTER TRUCK FB, FE SERIES 4D30, 4DR5 DIESEL ENGINES
VOLT.	24V.
POWER	3.2KW
TEETH	9T
OEM	M2T67871



KTC NO. (REMFD)	243-16828
KTC NO.	243-0018
APPLICATION	TOYOTA LAND CRUISER 4.0L
VOLT.	12V.
POWER	1.0KW
TEETH	9T
OEM	2-1040-ND-2



KTC NO.	243-50-158-1
APPLICATION	42MT SERIES CATERPILAR, CUMMINS
VOLT.	12V.
TEETH	10T
LESTER	6356N
WAI	50-153-1



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

STARTER



KTC NO.	243-31189
APPLICATION	CHEVROLET SPARK, DAEWOO MATIZ
POWER	0.8KW
VOLT.	12V.
TEETH	8T
LESTER	31189N



KTC NO.	243-50-152
APPLICATION	42MT SERIES CATERPILLAR
VOLT.	24V
TEETH	12T
LESTER	6360N
WAI	50-152-1



KTC NO.	243-50-111
APPLICATION	50MT SERIES
VOLT.	24V.
TEETH	11T.
LESTER	4930N
WAI	50-111-1



KTC NO.	243-17010
APPLICATION	FORD FIESTA,ASPIRE
VOLT.	12V
ROTATION	CCW
POWER	0.8KW
TEETH	12T
LESTER	17010



KTC NO.	243-16708
APPLICATION	MAZDA 323, GLC 1.5L
VOLT.	12V.
VOLT	0.8KW
POWER	8T
TEETH	16708N
OEM	E301-18-400



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

STARTER



KTC NO.	243-6911
APPLICATION	39MT SERIES FREIGHTLINER INTERNATIONAL VOLVO TRUCK W/CATERPILLAR C10, C11,C12, C13,C15;CUMMIN ISX ENGINES
VOLT.	12V.
TEETH	11T
FEATURE	IMS(MAGNETIC SWITCH) OCP(OVERCRANK PROTECTION
LESTER	6911N
WAI	2-2804-DR



KTC NO. (REMFD)	243-50-151-1
APPLICATION	42MT SERIES CATERPILLAR
VOLT.	24V
TEETH	11T
LESTER	6370N
WAI	50-151-1



KTC NO.	243-3223
APPLICATION	FORD BRONCO E,F SERIES MUSTANG 3.8L, 5L
NOTE	SINCRONICO
VOLT.	12V.
TEETH	10T
LESTER	3223N
WAI	2-1881-FD-1



KTC NO.	243-3205
APPLICATION	FORD BRONCO E,F SERIES MUSTANG 3.8L, 5L
VOLT.	AUTOMATICO
POWER	12V.
TEETH	10T
OEM	3205N
OEM	2-1806-FD-1



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

STARTER



KTC NO.	243-15003
APPLICATION	FORD RANGER MAZDA BT50
VOLT.	12V.
POWER	2.0KW
TEETH	10T
LESTER	32352N



KTC NO.	243-11004
APPLICATION	DAIHATSU, TOYOTA
VOLT.	12V.
POWER	2.5KW
TEETH	11T
LESTER	4239



KTC NO.	243-21019
APPLICATION	ISUZU NHR TRUCK, 4J G2 ISUZU C-240 DIESEL
VOLT.	12V.
POWER	2.2KW
TEETH	9T
LESTER	18449N



KTC NO.	243-M8T85-12V
APPLICATION	ISUZU NPR
VOLT.	12V.
POWER	2.7KW
ROTATION	CCW
TEETH	11T
LESTER	M8T85372



KTC NO.	243-16878
APPLICATION	ISUZU AMIGO, TROOPER PICKUP
VOLT.	12V.
POWER	1.2KW
TEETH	9T
LESTER	16878N
WAI	2-1195-ND



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

STARTER



KTC NO.	243-16012
APPLICATION	HINO J O08C
VOLT.	24V.
POWER	4.5KW
TEETH	11T
OEM	03505020242



KTC NO.	243-6840
APPLICATION	29M SERIES FREIGHTLINER W CUMMINS ISB ENGINE
VOLT.	12V.
TEETH	9T
LESTER	M2T61771



KTC NO.	243-32003
APPLICATION	H100
VOLT.	24V.
POWER	2.0KW
TEETH	10T



KTC NO.	243-24003
APPLICATION	KIA PREGIO
POWER	2.0KW
TEETH	11T.
OEM	MG122423



KTC NO.	243-21042
APPLICATION	ISUZU D-MAX
VOLT.	12V.
POWER	2.5KW
TEETH	9T
OEM	S13-557



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

STARTER



KTC NO.	243-21005
APPLICATION	ISUZU D-MAX
VOLT.	12V.
AMP.	2.2KW
WAI	9T
OEM	S13-114



KTC NO.	243-32034
APPLICATION	MITSUBISHI L300
VOLT.	12V.
POWER	2.0KW
TEETH	10T
OEM	32367N



KTC NO.	243-17146
APPLICATION	NISSAN SENTRA,PULSAR, NX,200SX
VOLT.	12V.
POWER	1.4KW
TEETH	8T
LESTER	17146



KTC NO.	243-17783
APPLICATION	SUZUKI VITARA,GRAND VITARA, CHEVROLET TRACKER
VOLT.	12V.
POWER	2.2KW
TEETH	8T
LESTER	17783N



KTC NO.	243-17002
APPLICATION	TOYOTA COROLLA
VOLT.	12V.
POWER	1.4KW
TEETH	9T
LESTER	17002



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

STARTER



KTC NO.	243-21009
APPLICATION	ISUZU 6HE1
VOLT.	24V.
POWER	4.5KW
TEETH	11T



KTC NO.	243-17805
APPLICATION	TOYOTA YARIS, ECHO
VOLT.	12V.
POWER	0.8KW
TEETH	9T
LESTER	17805



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

ARMATURES



KTC NO.	241-61-140
APPLICATION	DELCO PG260M SERIES (BLAZER, CHEYENNE)
VOLT.	12V.
DIMENSIONS	121 MM OAL, 12-SPLINES 7.97 MM SHAFT OD, FRONT BUSHING 9.75MM SHAFT OD, REAR BUSHING
WAI	61-140-1



KTC NO.	241-61-207
APPLICATION	FOED 4-1/2 MOD I II (FORD 100/600)
VOLT.	12V.
DIMENSIONS	238 MM OAL, 12-SPLINES 11.9MM SHAFT OD, FRONT BUSHING 15.8 MM SHAFT OD, REAR BUSHING
WAI	61-207



KTC NO.	241-61-151
APPLICATION	DELCO 39MT SERIES
VOLT.	12V.
DIMENSIONS	197 MM OAL, 20-SPLINES 15 MM SHAFT OD, FRONT BUSHING 12 MM SHAFT OD, REAR BUSHING
WAI	61-151



KTC NO.	241-61-152
APPLICATION	DELCO 39MT SERIES PLGR
VOLT.	12V.
DIMENSIONS	197 MM OAL, 20-SPLINES 15 MM SHAFT OD, FRONT BEARING 12 MM SHAFT OD, REAR BEARING
WAI	61-152



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

ARMATURES



KTC NO.	241-61-8400
APPLICATION	DELCO 28MT SERIES
VOLT.	12V.
DIMENSIONS	177 MM OAL, 8-SPLINES 17 MM SHAFT OD, FRONT BEARING 9.75MM SHAFT OD, REAR BEARING
WAI	61-8400



KTC NO.	241-61-8401
APPLICATION	DELCO 28MT OSGR
VOLT.	24V.
DIMENSIONS	177 MM OAL, 8-SPLINES 17 MM SHAFT OD, FRONT BEARING 10 MM SHAFT OD, REAR BEARING
WAI	61-207



KTC NO.	241-61-8203
APPLICATION	ND 2.5KW OSGR ISUZU, TOYOTA, CATERPILLAR DAHATSU DIESEL, CUMMINS
VOLT.	12V.
DIMENSIONS	187 MM OAL, 9-SPLINES 17 MM SHAFT OD, FRONT BEARING 10 M SHAFT OD, REAR BEARING
WAI	61-8203



KTC NO.	241-61-8110
APPLICATION	HI 4.0, 4.5KW OSGR STARTERS, NISSAN DIESEL, LIFT TRUCK, JOHN DEERE
VOLT.	24V.
DIMENSIONS	166 MM OAL, 11-SPLINES 25 MM SHAFT OD, FRONT BEARING 12 MM SHAFT OD, REAR BEARING
WAI	61-152



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

ROTORS



KTC NO.	244-124
APPLICATION	DELCO CS130 SERIES
VOLT.	12V.
APM	85-105A
WAI	28-124



KTC NO.	244-131
APPLICATION	DELCO 21 SI SERIES
VOLT.	12V.
APM	130-160A
WAI	28-131



KTC NO.	244-135
APPLICATION	DELCO 21SI SERIES
VOLT.	24V.
APM	50-70A
WAI	28-135-1



KTC NO.	244-140
APPLICATION	DELCO 22SI SERIES
VOLT.	12V.
APM	130-145A
WAI	28-140



KTC NO.	244-116
APPLICATION	DELCO 27SI TYPE 200 SERIES
VOLT.	24V.
APM	65A
WAI	28-116



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

ROTORS



KTC NO.	244-113
APPLICATION	DELCO 27SI TYPE 200 SERIES
VOLT.	12V.
APM	65-100A
WAI	28-113



KTC NO.	244-208
APPLICATION	FORD 3G SERIES
VOLT.	12V.
APM	75-95A
WAI	28-208



KTC NO.	244-209
APPLICATION	FORD 3G SERIES
VOLT.	24V.
APM	110-130A
WAI	28-209



KTC NO.	244-NPR-12V
APPLICATION	HITACHI ISUZU NPR
VOLT.	12V.
APM	130-145A



KTC NO.	244-NPR-24V
APPLICATION	HITACHI ISUZU NPR
VOLT.	24V.
APM	45A



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

STATOR



KTC NO.	250-137
APPLICATION	CS 130D SERIES
VOLT.	12V.
APM	105A.
WAI	27-137



KTC NO.	250-129
APPLICATION	DELCO 21SI, 22SI, 23SI SERIES
VOLT.	12V
APM	145-160A.
WAI	27-129-1



KTC NO.	250-135-1
APPLICATION	DELCO 21SI, 22SI, 23SI SERIES
VOLT.	24V.
APM	50-70A.
WAI	27-135-1



KTC NO.	250-115
APPLICATION	DELCO 27SI, TYPE 100.200.205
VOLT.	12V.
APM	100A.
WAI	27-115



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

STATOR



KTC NO.	250-27-138
APPLICATION	DELCO 33SI,34SI,35SI SERIES
VOLT.	12V.
APM	135-140A
WAI	27-138



KTC NO.	250-212
APPLICATION	FORD 3G, 4G SERIES
VOLT.	12V
APM	130A..
WAI	27-212



KTC NO.	244-NPR-12V
APPLICATION	HITACHI ISUZU NPR
VOLT.	12V.
APM	70A



KTC NO.	244-NPR-24V
APPLICATION	HITACHI ISUZU NPR
VOLT.	24V.
APM	45A



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

BRUSHES



KTC NO.	211-14
APPLICATION	24SI HP, 28SI, AD230, AD237, AD244, CS130D, DR44G, LR630 SERIES (38-120) (38-119)
VOLT.	12V.
DIMENSIONS	4,5mm Tx 8mm W x 22mm Lx 36mm



KTC NO.	211-26-1
APPLICATION	DELCO37MT, 41MT SERIES DD STARTERS
VOLT.	12V.
DIMENSIONS	9.5mm T x 28.5mm W x 24mm L x 33mm LL
NOTE	FIELD
WAI	68-129

BRUSH HOLDERS



KTC NO.	223-14
APPLICATION	DE 37MT, 41MT
WAI	69-108Z
KTC NO.	223-14-2
APPLICATION	DE 37MT, 41MT
NOTE	ALL 4-BRUSH HOLDER ARE INSULATED FROM THE BACKING PLATE. USE IN STARTERS W/ TERMINAL POST THRU C.E. PLATE.
WAI	69-111-1



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

DIODES



KTC NO.	224-74
APPLICATION	MAN, MERCEDES. 689 SERIES 110-140/24V
TRANPO	IBR550



KTC NO.	224-5
APPLICATION	17SI, 21SI, 22SI, 23SI, 33SI 34SI, SERIES (KODIAK)
TRANPO	DR5173
WAI	31-106



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

REGULATORS



KTC NO.	225-11
APPLICATION	MERCEDES TRUCKS
VOLT.	24V.
TRANSPO	IB298



KTC NO.	225-19
APPLICATION	HINO, ISUZU TRUCK, NPR
TERMINALD	S-IG-L
VOLT.	12V.
TRANSPO	IH252



KTC NO.	225-83
APPLICATION	TOYOTA, LEXUS
VOLT.	12V.
TRANSPO	IN6015



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

REGULATORS



KTC NO.	225-78
APPLICATION	MAN, MERCEDES
VOLT.	24V.
TRANSPO	IB381



KTC NO.	225-56
APPLICATION	10SI/TYPER 116, 20SI, 21SI, 22SI, 26SI, 27SI TYPE 200, 29SI, 30SI, 33SI, 34SI, SERIES
VOLT.	24V.
TRANSPO	D104HD



KTC NO.	225-40
APPLICATION	REGULATOR DELCO 10SI, 20SI, 27SI, TYPE 200, 29SI, 30SI, 40SI, SERIES
VOLT.	12V.
TRANSPO	D102HD
WAI	35-105



INDUSTRIAS LOGACHO ALMEYDA Cía. Ltda.

DISTRIBUTORS



ALAMBRE ESMALTADO DE COBRE

NEMA MW 73C

TRIPLE ESMALTE

INVEMED 200 C



BARNIZ WEG

ELECTROAISLANTE DE IMPREGNACION
PARA MOTORES ELECTRICOS
MONOFASICOS Y TRIFASICOS

12V.




TUBOS AISLANTE:

DE ALGODÓN Y VIDRIO

RIGIDEZ DIALECTRICA

7000V



FIBRA AISLANTE:

TEMPERATURA 130C

DIALECTRICO

5000V



BALANCEADORA DYNA BAL
DINAMICO ELECTRONICO

220V TRIFASICO

ARMATORES Y ROTORES DE ALTA
VELOCIDAD